

HP-110 **Pneumatic Screwdriver**

Specifications:

Capacity: 4 mm.
Hex Shank Size: 1/4" (6.35 mm.)
Free Speed: 1,500 r.p.m.
Length: 228 mm.
Weight: 0.61 kg.
Avg. Air Cons.: 1.6 c.f.m.
Air Inlet: 1/4"
Air Pressure: 90 p.s.i.

Features:

- Small body, lightweight and little vibration.
- Lever throttle for feathering control.
- One hand reverse button.
- 1/4" hex female quick change chuck and spring-loaded clutch.
- Adjustable clutch units offer operator controlled torque.
- 1,500 r.p.m. free speed.

Applications:

Ideal for wood screws, wall boards, setting aluminum windows and doors and assembly line work.
For carpenter's use, electric factory, setting factory and other types of setting use.

Regular Price: \$139.50 **Sale Price: \$69.75**



HP-140
Adjustable Clutch Screwdriver

Specifications:

Capacity: 5 mm. ~ 6 mm.

Max Torque: 85 in/lbs

Hex Shank Size: 1/4" (6.35 mm.)

Free Speed: 1,800 r.p.m.

Weight: 1.15 kg.

Avg. Air Cons.: 1.6 c.f.m.

Air Pressure: 90 p.s.i.

Applications:

Ideal for wood screws, wall boards, setting aluminum windows and doors and assembly line work.

For carpenter's use, electric factory, setting factory and other types of setting use.

Regular Price: \$148.50 **Sale Price: \$74.25**



HP-220
Adjustable Clutch Screwdriver

Specifications:

Capacity: 6 mm. ~ 8 mm.

Max. Torque: 45-115 in/lbs Hex Shank Size: 1/4" (6.35 mm.)

Free Speed: 1,800 r.p.m.

Weight: 1.12 kg.

Air Pressure: 90 p.s.i.

Air Inlet: 1/4" npt

Applications:

Ideal for wood screws, wall boards, setting aluminum windows and doors and assembly line work.

For carpenter's use, electric factory, setting factory and other types of setting use.

Regular Price: \$296 **Sale Price: \$148**

